



Altes Hauptgebäude S1|03
Raum 209 - Seminarraum, 2. Obergeschoss


BESTUHLUNGSPLAN - Hufeisen




BESTUHLUNGSPLAN - Tischreihe



BESTUHLUNGSPLAN - Gruppe



BESTUHLUNGSPLAN - Reihenbestuhlung



The floor plan shows a rectangular room with a large rectangular table in the center. There are 21 chairs around the table: 10 on the left, 10 on the right, and 1 at the top. There are 11 tables: 1 at the top, 1 at the bottom, and 9 along the left wall. The room has a door on the left wall and a window on the right wall.

Möblierbare Fläche:	ca. 87 m ²
Max. Personenzahl:	21
Anzahl Stühle:	21
Anzahl Tische:	11 (+6)

The diagram shows a rectangular table with a small square on the left side. Below the table, there are three rows of chairs. The first row has 3 chairs, the second row has 3 chairs, and the third row has 3 chairs. To the right of the chairs, there are three labels: 'Möblierbare Fläche: ca. 87 m²', 'Max. Personenzahl: 33', and 'Anzahl Stühle: 33'. Below these labels, there is a label 'Anzahl Tische: 17'.

The diagram shows a restaurant layout with 17 tables and 33 chairs. The tables are arranged in three rows: the top row has 1 small square table and 1 long rectangular table; the middle row has 2 long rectangular tables; and the bottom row has 2 long rectangular tables and 3 small square tables. The chairs are represented by small squares placed around the tables. The text on the right side of the diagram reads: 'Möblierbare Fläche: ca. 87 m²', 'Max. Personenzahl: 33', 'Anzahl Stühle: 33', and 'Anzahl Tische: 17'.

Möblierbare Fläche: ca. 87 m²

Max. Personenzahl: 73

Anzahl Stühle: 73

Anzahl Tische: 1 (+16)

INFORMATIONEN:

Die im Bestuhlungsplan dargestellte Anordnung der Möblierung darf nicht geändert werden. Die genannte maximale Besucheranzahl, die sich aus der Möblierung ergibt, darf nicht überschritten werden.

Bei Reihenbestuhlung:

Die ichte Durchgangsbreite zwischen den Sitzplatzreihen muss mindestens 40 cm betragen. Die Stühle einer Reihe müssen fest miteinander verbunden werden.

Bei Möblierung mit Tischen:

Der Abstand der Tische untereinander und zu dem nächsten Bauteil soll mindestens 1,50 m betragen. Gänge zwischen den Tischen sollen eine Breite von 90 cm nicht unterschreiten.

Nicht benötigte Tische oder sonstige Möbel dürfen nicht in den als Fluchtwege gekennzeichneten Flächen abgestellt werden. Alle Ausgänge sind freizuhalten und müssen leicht zu öffnen sein.

Die in Klammern angegebenen Tische werden nicht genutzt, müssen aus organisatorischen Gründen aber im Raum bleiben. Standort siehe Plan.

LEGENDE

**Fluchtweg, Breite 0,90 bzw. 1,20 m
Betriebl. freizuhaltende Flächen**

**Rollstuhlfahrer,
Bewegungsfläche mind. 1,5 m x 1,5 m**

**Ist kein Rollstuhlfahrer anwesend,
kann die Fläche wie im Plan dargestellt
für Stühle genutzt werden.**

Erstellt:

Architekten Hirschmüller Schmidt
www.hsk-architekten.de

	Tisch	1.50 m	Der Abstand von Tisch zu Tisch, bzw. zum nächsten Bauteil soll mindestens 1,50 m betragen.
	Stuhl		
	Waschbecken		Standort

Ansprechpartner:

Dezernat V - Bau- und Immobilien
Abteilung VB - Immobilienverträge und Flächenmanagement
Frau N. Wagner
Telefon 06151- 1664815
wagner.ni@pwv.tu-darmstadt.de